

Cosmic 2 A4 Laminator



- User-friendly laminator for light use in the home or small office
- Hot lamination for 3-mil or 5-mil, as well as cold pouches
- Release lever disengages pouch for re-centering or removal
- HeatGuard Technology™ keeps heat inside so laminator is comfortable to touch
- 9-1/2" entry width accommodates multiple document sizes
- Warms up in 5 minutes
- Includes laminating starter kit

Model Name	Cosmic 2 A4
Format - Laminating Width (mm)	A4 - 220
Pouch Thickness (mic)	80 - 100
Heating System	Hot Shoe
Number Rollers	2
Heat Up Time (mn)	6
Temperature Adjustment (nb settings)	Yes (2)
Lamination Speed (cm/mn)	30
Speed Adjustment	-
HeatGuard (cool to touch)	✓
100% Jam Free/Ant Jam Protection	✓
Release Mechanism	✓
Reverse Mechanism	-
Active Cooling System	-
Sleep Mode	-
Ready Signal	Light + Beep
User Custom Setting	-
Photocapable / Cold Setting	✓
Dust Cover / Entry Guide	✓
Vertical Storage	✓
Carrier Free	✓
Cable	Fixed
Colour	White
Machine Warranty (years)	2
Machine Dimensions / mm (HxWxD)	84 x 410 x 200
Machine Weight / Kg	2.36
Outer Dimensions / mm (HxWxD)	246 x 448 x 144
Outer Weight / Kg	3.1
Quantity per Outer	2
Includes Starter Pack	✓
Order No. (EU/UK)	5725101

Saturn 3i A4 Laminator



- Ready to laminate in just 60 seconds with InstaHeat Technology
- Laminates A4 size documents in 80-125 micron pouches
- Laminator feed sensor indicates when a document has been misfed and stops the laminating process, allowing the pouch to be released and realigned
- Auto shut off after 30 minutes of inactivity, reducing energy consumption
- Lamination speed of 30cm/minute
- Includes 10-pouch laminating starter kit
- For use in small office environments

Model Name	Saturn 3i A4
Format - Laminating Width (mm)	A4 - 240
Pouch Thickness (mic)	80 - 125
Heating System	-
Number Rollers	2
Heat Up Time (mn)	1
Temperature Adjustment (nb settings)	Yes (3)
Lamination Speed (cm/mn)	30
Speed Adjustment	-
HeatGuard (cool to touch)	-
100% Jam Free/Ant Jam Protection	-
Release Mechanism	✓
Reverse Mechanism	-
Active Cooling System	-
Sleep Mode	Auto Shut Down
Ready Signal	Light + Beep
User Custom Setting	
Photocapable / Cold Setting	✓
Dust Cover / Entry Guide	-
Vertical Storage	✓
Carrier Free	✓
Cable	Fixed
Colour	Graphite Metallic
Machine Warranty (years)	2
Machine Dimensions / mm (HxWxD)	103 x 436 x 146
Machine Weight / Kg	1.9
Outer Dimensions / mm (HxWxD)	190 x 371 x 498
Outer Weight / Kg	5.59
Quantity per Outer	2
Includes Starter Pack	✓
Order No. (EU/UK)	5724901

GENESIS EQUIPMENT SDN BHD

T: 07 3559169 M: 016 7233169



Saturn 3i A3 Laminator



- Ready to laminate in just 60 seconds with InstaHeat Technology
- Laminates A3 size documents in 80-125 micron pouches
- Laminator feed sensor indicates when a document has been misfed and stops the laminating process, allowing the pouch to be released and realigned
- Auto shut off after 30 minutes of inactivity, reducing energy consumption
- Lamination speed of 30cm/minute
- Includes 10-pouch laminating starter kit
- For use in small office environments

Model Name	Saturn 3i A3
Format - Laminating Width (mm)	A3 - 330
Pouch Thickness (mic)	80 - 125
Heating System	-
Number Rollers	2
Heat Up Time (mn)	1
Temperature Adjustment (nb settings)	Yes (3)
Lamination Speed (cm/mn)	30
Speed Adjustment	-
HeatGuard (cool to touch)	-
100% Jam Free/Ant Jam Protection	-
Release Mechanism	✓
Reverse Mechanism	-
Active Cooling System	-
Sleep Mode	Auto Shut Down
Ready Signal	Light + Beep
User Custom Setting	
Photocapable / Cold Setting	✓
Dust Cover / Entry Guide	-
Vertical Storage	✓
Carrier Free	✓
Cable	Fixed
Colour	Graphite Metallic
Machine Warranty (years)	2
Machine Dimensions / mm (HxWxD)	104 x 533 x 146
Machine Weight / Kg	2.36
Outer Dimensions / mm (HxWxD)	190 x 367 x 595
Outer Weight / Kg	6.21
Quantity per Outer	2
Includes Starter Pack	✓
Order No. (EU/UK)	5736101

Calibre A3 Laminator



- Ready to laminate in just 60 seconds with InstaHeat™ Technology
- Laminates up to A3 size documents in 80 - 125 micron pouches
- Fast lamination speed – max. 50cm / minute for 80 micron pouches
- Laminator feed sensor indicates when a document has been mis-fed and stops & auto reverses, allowing the user to re-align the pouch
- Auto shut-off after 30 minutes inactivity, reducing energy consumption
- Includes 10-pouch laminating starter kit of Imagelast™ pouches

Model Name	Calibre A3
Format - Laminating Width (mm)	A3 - 330
Pouch Thickness (mic)	80 - 125
Heating System	-
Number Rollers	2
Heat Up Time (mn)	1
Temperature Adjustment (nb settings)	Yes (3)
Lamination Speed (cm/mn)	50
Speed Adjustment	-
HeatGuard (cool to touch)	-
100% Jam Free/Ant Jam Protection	-
Release Mechanism	-
Reverse Mechanism	✓
Active Cooling System	-
Sleep Mode	-
Ready Signal	Light + Beep
User Custom Setting	
Photocapable / Cold Setting	✓
Dust Cover / Entry Guide	-
Vertical Storage	✓
Carrier Free	✓
Cable	Fixed
Colour	Black
Machine Warranty (years)	2
Machine Dimensions / mm (HxWxD)	110 x 570 x 156
Machine Weight / Kg	2.54
Outer Dimensions / mm (HxWxD)	179 x 670 x 162
Outer Weight / Kg	3.42
Quantity per Outer	2
Includes Starter Pack	✓
Order No. (EU/UK)	5740201

Neptune 3 A3 Laminator



- AutoSense detects pouch thickness and self adjusts to the optimal laminating setting
- Ready to laminate in just 60 seconds with InstaHeat Technology
- Laminates an 80 micron A4 pouch in as little as 23 seconds (800mm/min)
- Advanced Pouch Tracking System detects potential paper jams, allowing the user to safely reverse and re-align the pouch
- 4-roller laminator for high quality results, can laminate all pouches up to 175 microns (2x175)
- Simple 1-touch user interface

Model Name	Neptune 3 A3
Format - Laminating Width (mm)	A3 - 300
Pouch Thickness (mic)	80 - 175
Heating System	Preheater
Number Rollers	4
Heat Up Time (mn)	1
Temperature Adjustment (nb settings)	Yes (4)
Lamination Speed (cm/mn)	60
Speed Adjustment	-
HeatGuard (cool to touch)	✓
100% Jam Free/Ant Jam Protection	✓
Release Mechanism	-
Reverse Mechanism	✓
Active Cooling System	✓
Sleep Mode	✓
Ready Signal	Light + Beep
User Custom Setting	-
Photocapable / Cold Setting	✓
Dust Cover / Entry Guide	-
Vertical Storage	-
Carrier Free	✓
Cable	Detachable
Colour	Silver
Machine Warranty (years)	2
Machine Dimensions / mm (HxWxD)	122 x 508 x 140
Machine Weight / Kg	11.2
Outer Dimensions / mm (HxWxD)	250 x 650 x 370
Outer Weight / Kg	11
Quantity per Outer	1
Includes Starter Pack	-
Order No. (EU/UK)	5721601

GENESIS EQUIPMENT SDN BHD

T: 07 3559169 M: 016 7233169

Jupiter 2 A3 Laminator



- AutoSense detects pouch thickness and self adjusts to the optimal laminating setting
- Ready to laminate in just 60 seconds with InstaHeat Technology
- Laminates an 80 micron A4 pouch in as little as 17 seconds (1200mm/min)
- Advanced Pouch Tracking System detects potential paper jams and automatically reverses, allowing the user to re-align the pouch
- Robust 6-roller laminator for superior lamination quality, can laminate all pouches up to 250 microns (2x250)
- Simple 1-touch user interface

Model Name	Jupiter 2 A3
Format - Laminating Width (mm)	A3 - 320
Pouch Thickness (mic)	80 - 250
Heating System	Instant Heat
Number Rollers	6
Heat Up Time (mn)	1
Temperature Adjustment (nb settings)	Auto Sense
Lamination Speed (cm/mn)	75
Speed Adjustment	Auto Sense
HeatGuard (cool to touch)	✓
100% Jam Free/Ant Jam Protection	-
Release Mechanism	-
Reverse Mechanism	✓
Active Cooling System	✓
Sleep Mode	✓
Ready Signal	Light + Beep
User Custom Setting	-
Photocapable / Cold Setting	✓
Dust Cover / Entry Guide	-
Vertical Storage	-
Carrier Free	✓
Cable	Detachable
Colour	Silver / Black
Machine Warranty (years)	2
Machine Dimensions / mm (HxWxD)	120 x 350 x 194
Machine Weight / Kg	6.8
Outer Dimensions / mm (HxWxD)	165 x 370 x 580
Outer Weight / Kg	7.9
Quantity per Outer	1
Includes Starter Pack	✓
Order No. (EU/UK)	5733501

GENESIS EQUIPMENT SDN BHD

T: 07 3559169 M: 016 7233169

Venus 2 A3 Laminator



- AutoSense detects pouch thickness and self adjusts to the optimal laminating setting
- Warms up in as little as 30-60 seconds with InstaHeat Technology
- Laminates an 80 micron A4 pouch in as little as 14 seconds (1350mm/min)
- Robust 6-roller laminator for superior lamination quality, can laminate all pouches up to 250 microns (2x250)
- Advanced Pouch Tracking System detects potential paper jams and automatically reverses, allowing the user to re-align the pouch
- Feed IQ system indicates to the user when the next pouch can be inserted
- Simple 1-touch user interface

Model Name	Venus 2 A3
Format - Laminating Width (mm)	A3 - 330
Pouch Thickness (mic)	80 - 250
Heating System	Instant Heat
Number Rollers	6
Heat Up Time (mn)	0.5
Temperature Adjustment (nb settings)	Auto Sense
Lamination Speed (cm/mn)	100
Speed Adjustment	Auto Sense
HeatGuard (cool to touch)	√
100% Jam Free/Ant Jam Protection	√
Release Mechanism	-
Reverse Mechanism	√
Active Cooling System	√
Sleep Mode	√
Ready Signal	Light + Beep
User Custom Setting	√
Photocapable / Cold Setting	√
Dust Cover / Entry Guide	-
Vertical Storage	-
Carrier Free	√
Cable	Detachable
Colour	Black
Machine Warranty (years)	2
Machine Dimensions / mm (HxWxD)	116 x 554 x 220
Machine Weight / Kg	6.8
Outer Dimensions / mm (HxWxD)	334 x 218 x 640
Outer Weight / Kg	8.96
Quantity per Outer	1
Includes Starter Pack	√
Order No. (EU/UK)	5734201

GENESIS EQUIPMENT SDN BHD

T: 07 3559169 M: 016 7233169

Venus 2 A3 Laminator



- 6 roller technology heating 4 large diameter rollers for high quality results
- Laminates up to 250 micron pouches
- Fully variable controls + 6 pre-set controls for popular applications
- Laminates up to 95 cm/min (approx. 180x A4 pouches per hour)
- Ability to laminate hot and cold, with or without carriers, mounting board and foils
- Advanced control panel accurately monitors lamination temperature
- Large entry shelf and cooling plate on exit shelf

Model Name	Proteus A3
Format - Laminating Width (mm)	A3 - 330
Pouch Thickness (mic)	80 - 250
Heating System	Hot Roller
Number Rollers	6
Heat Up Time (mn)	3
Temperature Adjustment (nb settings)	Yes (5)
Lamination Speed (cm/mn)	95
Speed Adjustment	Yes
HeatGuard (cool to touch)	-
100% Jam Free/Ant Jam Protection	✓
Release Mechanism	-
Reverse Mechanism	✓
Active Cooling System	✓
Sleep Mode	-
Ready Signal	Light + Beep
User Custom Setting	✓
Photocapable / Cold Setting	✓
Dust Cover / Entry Guide	-
Vertical Storage	-
Carrier Free	✓
Cable	Detachable
Colour	Light Grey
Machine Warranty (years)	2
Machine Dimensions / mm (HxWxD)	580 x 300 x 140
Machine Weight / Kg	15
Outer Dimensions / mm (HxWxD)	630 x 360 x 200
Outer Weight / Kg	16.5
Quantity per Outer	1
Includes Starter Pack	-
Order No. (EU/UK)	5709001