

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com

OKYO Electronic Coin Sorter



Model : ECS-300

Specification :

Currency	: RM, MYR
Counting Speed	: 270 Coins per Minutes
Display	: 7 Digit LED Display
Report	: Total Value & Quantity of Coin
Sorting	: Sorting each denomination into separate drawer
Coin Countable	: All New & Old Coin (Cents) 0.05, 0.10, 0.20, 0.50
Feeding System	: Motorized Spinner
Counting Device	: Electronic Counting Sensor
Hopper Capacity	: Up to 500 Coin
Free Preset Batch	: 0 - 999 & Memory Function
Voltage	: 220, 50Hz
Weight	: 4.1Kg
Dimension	: 36 x 36 x 31.5cm

OKYO Electric Card Cutter



Model : B300

Specification :

Paper Size	: A4 / 195X297mm / 212X297mm
Paper Thickness	: 120g - 250g
Trimmed Size	: 54 X 90mm
Cutter Life	: 100,000 times
Power Supply	: AC220V
Gross Weight	: 4.2Kg

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



NC3900

Multi-Currency Counter

- * 3 Counting Speed :
800, 1200, 1500Pcs/Minute
- * Dual Counting Mode :
Auto/Manual Start & Stop
- * Counting Range / Batch : 1-9999
- * Feed Counting : 200+ Notes
- * UV (Ultra Violet),
MG (Magnetic), BATCH, ADD
- * Auto Half Note (IR) Detection
- * LED Display (4 Digits)
- * User Friendly Key Pad
- * Classic, Reliable & Durable
- * Voltage : AC110V / 60HZ -
220V / 50HZ
- * Packing : 330 X 320 X 285mm
- * Gross Weight : 5.7Kg
- * Net Weight : 4.7Kg



NC6000

Multi-Currency Counter

- * 4 Counting Speed : 600, 1000,
1500, 1800 Pcs/Minute
- * Dual Counting Mode :
Auto/Manual Start & Stop
- * Counting Range / Batch : 1-9999
- * Feed Counting : 300+ Notes
- * UV (Ultra Violet),
MG (Magnetic), BATCH, ADD
- * DD (Width Detection),
MT Detection (Optional)
- * Double Notes Detection,
Half Note (IR) Detection
- * LED Display (4 Digits)
- * Suitable for Most Currency
in the world.
- * User Friendly Key Pad
- * High Class, Reliable & Durable
- * Voltage : AC90-240V, 50/60HZ
- * Packing : 337 X 294 X 295mm
- * Gross Weight : 7.3Kg
- * Net Weight : 6.2Kg

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



NC2000

Multi-Currency Counter

- * UV (Ultra Violet), MG (Magnetic)
- * Suitable for Most Currencies
- * Automatic Start, Stop & Clearing
- * Batching & Adding : 1-9999
- * Auto Half Note Detection
- * Counting Speed : 900pcs/Minute
- * Countable Note : 50x110 - 90x185mm
- * Dimension : 289x255x180mm
- * Net Weight : 6.5Kg
- * Power : AC220V-50Hz / AC110-60Hz
- * Power Consumption : 80W
- * Hopper Capacity : 300pcs
- * Stacker Capacity : 200pcs



HHOK 1000

Multi-Currency Counter

- * UV (Ultra Violet), MG (Magnetic)
- * Suitable for Most Currencies
- * Automatic Start, Stop & Clearing
- * Batching & Adding : 1-999
- * Auto Half Note Detection
- * Counting Speed : 900pcs/Minute
- * Countable Note : 50x110 - 90x185mm
- * Dimension : 270x140x175mm
- * Net Weight : 2.5Kg
- * Power : AC220V-100V / DC12V
- * Build In DC-12V Rechargeable Battery
- * Hopper Capacity : 300pcs
- * Stacker Capacity : 200pcs



NC1600

Bank Note Counter

- * UV (Ultra Violet)
- * Suitable for Most Currencies
- * Automatic Start, Stop & Clearing
- * Batching & Adding : 1 - 999
- * Counting Speed : 900pcs/Minute
- * Countable Note : 50x100 - 90x175mm
- * Dimension : 335x290x206mm
- * Net Weight : 5.5Kg
- * Power : AC220V-50Hz / AC110-60Hz
- * Power Consumption : 80W
- * Hopper Capacity : 150pcs
- * Stacker Capacity : 150pcs



OKYO NB-105

Note Bundling Machine

- * Bundle Note Range :
Most International Bank Note
- * Bundling Speed : 1.5 Second/Bundle
- * Bank Note Width : 90mm to 200mm
- * Bank Note Height : 58mm to 90mm
- * Max Bundling : 450pcs of Note
- * Noise : 70DB
- * Power Input : AC100V/240V, 47-63Hz
- * Power Standby : 10W
- * Power Consumption : 10W to 60W
- * Gross Weight : 7 Kg
- * Nett Weight : 6.5 Kg
- * Dimension :
200mm(W) X 220mm(H) X 240mm(D)

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com

OKYO V40 Portable Note Counter



V40 Portable Note Counter

- * Suitable for Most Currencies
- * Manual Start, Stop & Clearing
- * Batching & Adding : 1 - 100
- * Counting Speed : 600pcs/Minute
- * Countable Note : 50x100 - 90x175mm
- * Machine : 189(L)x90(H)x48mm(W)
- * Packing : 205(L)x83(H)x133mm(W)
- * Net Weight : 400g (Include AABattery)
- * Gross Weight : 4615g
- * Power Input : DC100-240V, 50/60Hz
- * Power Output : 6V / 1.5A
- * Hopper Capacity : 50pcs
- * Stacker Capacity : 50pcs



OKYO NB-105

Note Bundling Machine

- * Bundle Note Range :
Most International Bank Note
- * Bundling Speed : 1.5 Second/Bundle
- * Bank Note Width : 90mm to 200mm
- * Bank Note Height : 58mm to 90mm
- * Max Bundling : 450pcs of Note
- * Noise : 70DB
- * Power Input : AC100V/240V, 47-63Hz
- * Power Standby : 10W
- * Power Consumption : 10W to 60W
- * Gross Weight : 7 Kg
- * Nett Weight : 6.5 Kg
- * Dimension :
200mm(W) X 220mm(H) X 240mm(D)

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com

OKYO Thermal Receipt Printer



- * Paper : 80mm Thermal
- * Cutting: Auto Cutter
- * Out pu: USB, LAN, Serial
- * Power : 220V/240V
- * Windo : WinXP, Win7, Win8



OKYO Table Top Barcode Scanner



Model : 7130

- * Direct Plug and Scan
- * USB Port Input
- * Suitable for Most Barcode
- * Wand
- * Keyboard
- * RS-232
- * Dual RS-232 & Others

Power Supply : 220/240V

Power Consume : 5V / 0.5A

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com

OKYO Time Date Stamping Machine



Model : ETS-1200

Protection	: Password protection
Printing available	: 7 Languages printing
Preprogram	: 13 Preprograme comments
Printing	: Alphanumeric
Clock Accuracy	: Monthly <> 15 second
Calendar	: Years up to 2099
Printing System	: Dot Matrix
Setted Memory	: Can last <> 36 Month
Temperature	: 5C to 45C
Humidity	: 40% to 80% no condensation
Voltage	: 100V - 240V
Weight	: 2 Kg
Dimension	: 15.6"(W) X 18.7"(H) X 17.4"(L)

OKYO High Speed Coin Counter



Model : KW-850

Specification :

Counting Speed	: 2,300 Coins per Minutes, 15mm(D)
Hopper Capacity	: 3,000 Coin, 15mm(D) X 1.1mm (T) (when hopper extender not installed) : 11,000 Coin, 15mm(D) X 1.1mm (T) (when hopper extender installed)
Countable coin size	: 15mm to 35mm(D) Diameter : 1mm to 3.5mm(D) Diameter
Max Counting Display	: 9,999,999
Counting Mode	: Continuous, Batch, Add
Power Consumption	: <60W
Power Requirement	: AC110V/60Hz or AC220V /50Hz
Dimension	: 340mm(D) X 265mm(W) X 345mm(H)
Gross Weight	: 10.5Kg
Nett Weight	: 8.8Kg

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com

OKYO Hand Hold Barcode Scanner



Model : X-9300

- * Direct Plug and Scan
- * USB Port Input
- * Suitable for Most Barcode
- * Wand
- * Keyboard
- * RS-232
- * Dual RS-232 & Others
- * Reliability & Stable

OKYO Table Top Barcode Scanner



Model : 7130

- * Direct Plug and Scan
- * USB Port Input
- * Suitable for Most Barcode
- * Wand
- * Keyboard
- * RS-232
- * Dual RS-232 & Others

Power Supply : 220/240V
Power Consume : 5V / 0.5A

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com

OKYO Cheque Writer



Model :

EC-100

Specification :

* 14 Digits

* Manual Paper Clamp.

Power Supply : 220V, 50/60Hz

Power Consume : 3.5W to 22W

Temperature : 5 to 45c

Humidity : 20% to 80%

Multi Currency :

RM, SGD, USD, EURO, NTP, YEN, HKD,
RMB, UK, POUND, PHP, RS, A\$, THAI,
NZD, KS, ZAR.

RM 1 23,456,789 DAN 00 SEN



Model :

3300

Specification :

* 16 Digits

* Auto Paper Clamp.

Power Supply : AC100V / 240V

Power Consume : 1.3W / 13W

Frequency : 50HZ / 60HZ

Weight : 1.6Kg

Size : 246X117X126mm

Temperature : 0-40C

Humidity : 20% to 80%

RM1,234,567,890 DAN 00 SEN

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com

Counterfeit Money Detector



Model : AD-118AB

- * With 1pc 4w Ultraviolet Blue Lamp Bulb
- * Single Insulation
- * Dual Power Supply : Electric & Battery

Specification :

Power Supply : 110V - 220V / 50Hz
Power Consumption : 4W
Size : 162 x 102 x 102mm

Handheld Blacklight UV Lamp



Model : DL-01

Specification :

- * Verify hidden security features on Bank Note & Passport
 - * Check Watermarks & Security Strips
- * Check Paper quality on Security Document
 - * Highlight Alterations & Staining
- * DC 6V Battery Operated
 - * Uses AA Battery X 4pcs (Not included)
- * Single Insulation
- * Wattage : 4W Max
- * Lamp Base : G5

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com

Star Note Detector / Money Detector



Model : TK-2028

Specification :

- * With 2pcs 6w Ultraviolet Blue Lamp Bulb
- * 220V - 230V / 50Hz
- * Double Insulation

Counterfeit Money Detector



Model : AD-2138

- * With 1pc 15w Ultraviolet Blue Lamp Bulb
- * Double Insulation
- * Flourecent Light for Water Mark Verification
- * With Magnifying Glass

Specification :

Power Supply : 220V - 230V / 50Hz

Power Consumption : 10W

Size : 190 x 130 x 140mm



HD2150

Ultra Heavy Duty 2 Hole Punch

Robust metal heavy duty 2 hole 150 sheet punch that offers accurate and effortless high capacity punching. It has a clear, sliding confetti tray that is easy to empty. In addition this punch also has an adjustable depth gauge for varying margins and long handle for extra leverage and reduced effort. 9mm to 17mm adjustable depth.

- Robust metal construction for durability
- Adjustable depth gauge for varying margins
- Confetti drawer for easy emptying
- Hollow punch pin technology for accurate and effortless high capacity punching
- Locking metal paper guide
- Long handle for extra leverage and reduced effort
- Replacement discs and punch pins available separately



Technical Specifications

Punch capacity 80g	150 sheets
Product Code:	
HD2150	2101234
Replacement Punch Pins (Pack of 2)	2101236
Replacement Punch Discs (Pack of 10)	2101097



HD2300

Ultra Heavy Duty 2 Hole Punch

Robust metal heavy duty 2 hole 300 sheet punch that offers accurate and effortless high capacity punching. It has a clear, sliding confetti tray that is easy to empty. In addition this punch also has an adjustable depth gauge for varying margins and long handle for extra leverage and reduced effort.

- Robust metal construction for durability
- Locking metal paper guide
- Adjustable paper depth guide
- Confetti drawers for easy emptying
- Punched holes Ø 6 mm, 8 cm apart
- Replacement discs and punch pins available separately



Technical Specifications

Punch capacity 80g	300 sheets
Product Code:	
HD2300	2100994
Replacement Punch Pins (Pack of 2)	2101098
Replacement Punch Discs (Pack of 10)	2101097



Optima 40 Electric

Electric Stapler

Jam-free stapling with Optima premium staples. Perfect for an individual desk or as a shared facility in a busy, small to medium sized office. Robust metal mechanism, strong silver plastic casing and comfortable rubber grip on handle and base.

- Flat Clinch technique for neater stacks of paper
- LED low staple indicator alerts you to refill before running out of staples
- Built-in stack height gauge and staple placement guides
- Staple storage drawer to keep extra strips handy
- Box of 1000 Rexel Optima No.56 (26/6) staples included
- Use with Optima No.56 (26/6) and 24/6 staples



Technical Specifications

Sheet capacity 80g	40 sheets
Product Code	2102353



Optima 40

Manual Stapler

Jam-free stapling with Optima premium staples. Unique mechanism that requires up to 50% less effort than traditional staplers. Flat Clinch technique for neater stacks of paper. Fast & efficient front loading system. Soft rubber grip on handle and base

- Durable metal construction
- Suitable for hand or desktop use
- Box of 1000 Rexel Optima No.56 (26/6) staples included
- Use with Optima No.56 (26/6) and 24/6 staples



Technical Specifications

Sheet capacity 80g	40 sheets
Product Code	2102357

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



Optima 56 (26/6) Staples Tin (3750)

Accessories

A 26/6 staple with slightly longer legs and sharper points that can penetrate thicker documents of up to 40 sheets when used with flat clinch technology staplers.

- Premium Staples come in units of 3,750 and are presented in a smart, aluminium tin with secure lid to ensure loose staples don't end up scattered around your desk drawer. In fact the embossed tin is so stylish that it will sit neatly on your desk top and you won't want to hide it away at all.



Technical Specifications

Product Code	2102496
--------------	---------



Optima 70 Electric

High Capacity Electric Stapler

Jam-free stapling with Optima premium staples. Perfect for an individual desk or as a shared facility in a busy, small to medium sized office. Robust metal mechanism, strong silver plastic casing and comfortable rubber grip on handle and base.

- Flat clinch mechanism for neater stacks of paper.
- Illuminated staple placement guide lights the area to be stapled on your paper
- LED low staple indicator alerts you to refill before running out of staples
- Staple storage drawer to keep extra strips handy
- Box of 500 Rexel Optima HD70 staples included
- Use with Optima HD70 staples



Technical Specifications

Sheet capacity 80g	70 sheets
Product Code	2102355



Optima 70

Heavy Duty Manual Stapler

Jam-free stapling with Optima premium staples. Unique mechanism that requires up to 50% less effort than traditional staplers. Flat Clinch technique for neater stacks of paper. Fast & efficient front loading system. Soft rubber grip on handle and base.

- Durable metal mechanism & strong plastic lever
- Box of 500 Rexel Optima HD70 staples included
- Use with Optima HD70 staples



Technical Specifications

Sheet capacity 80g	70 sheets
Product Code	2102359



Optima HD70 Staples Tin (2500)

Accessories

A robust staple with slightly longer legs and sharper points that can penetrate thicker documents of up to 70 sheets in one go, a useful tool in ensuring the tidy and efficient management of those slightly larger files. Manufactured in high-quality steel

- Premium Staples come in units of 2500 and are presented in a smart, aluminium tin with secure lid to ensure loose staples don't end up scattered around your desk drawer. In fact the embossed tin is so stylish that it will sit neatly on your desk top and you won't want to hide it away at all.



Technical Specifications

Product Code	2102497
--------------	---------



Soft Touch Business Card Book

Neat and stylish business card book finished in suede effect.

- Ensures your important contact details are kept organised and close to hand. The A-Z index allows simple referencing and the removable / replaceable pockets hold up to 160 cards.



Technical Specifications

Product Code	2101428 (Black)
--------------	-----------------



Soft Touch Meeting Folio

Premium quality conference folder finished in suede effect.

- Perfect for organisation during meetings. It comes with five removable project folders which are great for notes and subject division and a 50 sheet replaceable A4 pad. There are plenty of other pockets for CDs, loose papers and a pen.



Technical Specifications

Product Code	2101418 (Black)
--------------	-----------------

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



A cut above the rest

SmartCut A100

Home/Personal Trimmer

A highly practical, lightweight A4 trimmer. Ideal for personal and home/hobby use.

Features & Benefits

- Trim length: 300mm (A4)
- Trim capacity: 5 sheets 80g
- Trim style: Straight
- Base and ruler are marked with grid lines and measurements to help alignment
- Transparent ruler helps hold paper firmly in place when trimming
- Light plastic base
- Comes with 1 spare blade



Technical Specifications

Trim length (mm)	300	Paper guides	n/a
Paper size	A4	Ruler in cm & inches	Yes
Trim capacity 80g:		Back stop	n/a
■ Straight cut	5	Paper clamp	n/a
■ Score cut	n/a	Replacement blades	Yes, extra incl.
■ Wave cut	n/a	Cutting mats	n/a
■ Perforate cut	n/a	Product code	2101961



ACCO BRANDS – THE INDUSTRY LEADER

© ACCO BRANDS All Rights Reserved. Images are for illustrative purposes only. Errors and omissions excepted. SEPT-15

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



A cut above the rest


SmartCut A200 3-in-1

Home/Personal Trimmer

A4 multi-functional trimmer perfect for home and hobby use. Features three built-in trim styles. Change between trim styles by simply turning the "Blade-Dial".

Features & Benefits

- Trim length: 300mm (A4)
- Trim capacity: 5 sheets 80g
- Trim style: Straight, Wave and Score
- Base and ruler are marked with grid lines and measurements to help alignment
- Transparent ruler helps hold paper firmly in place when trimming



2101981: Dial-a-Blade (Straight/Wave/Score)

2101982: Dial-a-Blade (Straight/Perforate/Score)

Accessories available to purchase separately

Technical Specifications

Trim length (mm)	300	Paper guides	n/a
Paper size	A4	Ruler in cm & inches	Yes
Trim capacity 80g:		Back stop	n/a
■ Straight cut	5	Paper clamp	n/a
■ Score cut	1	Replacement blades	Yes
■ Wave cut	1	Cutting mats	n/a
■ Perforate cut	n/a	Product code	2101962



ACCO BRANDS – THE INDUSTRY LEADER

© ACCO BRANDS All Rights Reserved. Images are for illustrative purposes only. Errors and omissions excepted. SEPT-15

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



A cut above the rest

SmartCut A400

Professional Trimmer

Practical A4 desktop trimmer.

Features & Benefits

- Trim length: 300mm (A4)
- Trim capacity: 10 sheets 80g
- Trim style: Straight
- Durable metal base
- Metric/inch paper guide for precise positioning and trimming
- Ruler holds paper firmly in place during trimming
- Comes with a straight blade (other blades available separately)



2101983: Straight Blade (2 Pcs /Pack)

2101984: Perforator Blade (2 Pcs /Pack)

2101985: Wave Blade

2101986: Cutting Mat (2 Pcs /Pack)

Accessories available to purchase separately

Technical Specifications

Trim length (mm)	300	Paper guides	Yes
Paper size	A4	Ruler in cm & inches	Yes
Trim capacity 80g:		Back stop	n/a
■ Straight cut	10	Paper clamp	Auto
■ Score cut	n/a	Replacement blades	Yes
■ Wave cut	n/a	Cutting mats	Yes
■ Perforate cut	n/a	Product code	2101964



ACCO BRANDS – THE INDUSTRY LEADER

© ACCO BRANDS All Rights Reserved. Images are for illustrative purposes only. Errors and omissions excepted. SEPT-15

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



A cut above the rest


SmartCut A425 4-in-1

Professional Trimmer

Multi-functional rotary trimmer with dial-a-blade mechanism offering 4 trim styles in 1 trimmer.

Features & Benefits

- Trim length: 300mm (A4)
- Trim capacity: 10 sheets 80g
- Trim style: Straight, Wave, Score and Perforate
- Metric/inch paper guide for precise positioning and trimming
- Ruler holds paper firmly in place during trimming



2101987: Dial-a-Blade (Straight/Wave/Score/Perforate)

2101986: Cutting Mat (2 Pcs /Pack)

Accessories available to purchase separately

Technical Specifications

Trim length (mm)	300	Paper guides	Yes
Paper size	A4	Ruler in cm & inches	Yes
Trim capacity 80g:		Back stop	n/a
■ Straight cut	10	Paper clamp	Auto
■ Score cut	5	Replacement blades	Yes
■ Wave cut	5	Cutting mats	Yes
■ Perforate cut	10	Product code	2101965



ACCO BRANDS – THE INDUSTRY LEADER

© ACCO BRANDS All Rights Reserved. Images are for illustrative purposes only. Errors and omissions excepted. SEPT-15

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



A cut above the rest


SmartCut A445 4-in-1

Professional Trimmer

Multi-functional rotary trimmer with dial-a-blade mechanism offering 4 trim styles in 1 trimmer.

Features & Benefits

- Trim length: 457mm (A3)
- Trim capacity: 10 sheets 80g
- Trim style: Straight, Wave, Score and Perforate
- Metric/inch paper guide for precise positioning and trimming
- Ruler holds paper firmly in place during trimming



2101987: Dial-a-Blade (Straight/Wave/Score/Perforate)

2101988: Cutting Mat (2 Pcs /Pack)

Accessories available to purchase separately

Technical Specifications

Trim length (mm)	457	Paper guides	Yes
Paper size	A3	Ruler in cm & inches	Yes
Trim capacity 80g:		Back stop	n/a
■ Straight cut	10	Paper clamp	Auto
■ Score cut	5	Replacement blades	Yes
■ Wave cut	5	Cutting mats	Yes
■ Perforate cut	10	Product code	2101966



ACCO BRANDS – THE INDUSTRY LEADER

© ACCO BRANDS All Rights Reserved. Images are for illustrative purposes only. Errors and omissions excepted. SEPT-15

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



A cut above the rest


SmartCut A525pro 3-in-1

Professional Trimmer

Heavy duty multi-functional rotary trimmer in three convenient sizes. Ideal for general office and educational users.

Features & Benefits

- Trim length: 457mm (A3)
- Trim capacity: 30 sheets 80g
- Trim style: Straight, Score and Perforate
- Metric/inch paper guide for precise positioning and trimming
- Back stop & paper clamp for more precise cut



2101989: Dial-a-Blade (Straight/Score/Perforate)

2101991: Cutting Mat - Cutting Mat (2 Pcs /Pack)

Accessories available to purchase separately

Technical Specifications

Trim length (mm)	457	Paper guides	Yes
Paper size	A3	Ruler in cm & inches	Yes
Trim capacity 80g:		Back stop	Yes
■ Straight cut	30	Paper clamp	Manual
■ Score cut	5	Replacement blades	Yes
■ Wave cut	n/a	Cutting mats	Yes
■ Perforate cut	10	Product code	2101968



ACCO BRANDS – THE INDUSTRY LEADER

© ACCO BRANDS All Rights Reserved. Images are for illustrative purposes only. Errors and omissions excepted. SEPT-15

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



A cut above the rest

ClassicCut CL100

Office Guillotine

Simple, light-weight desktop guillotine for home office, small-office and educational users.

Features & Benefits

- Trim length: 305mm (A4)
- Trim capacity: 10 sheets 80g
- Self-sharpening stainless steel blade
- Acrylic safety guard
- High quality ABS Plastic base
- Metric/inch paper guide for repeat cuts and precise positioning



Technical Specifications

Trim length (mm)	305	Back stop	n/a
Paper size	A4	Paper clamp	n/a
Trim capacity Straight cut 80g:	10	Blade lock	Yes
Paper guides	Yes	Safety guard	Yes
Ruler in cm & inches	Yes	Product code	2101970



ACCO BRANDS – THE INDUSTRY LEADER

© ACCO BRANDS All Rights Reserved. Images are for illustrative purposes only. Errors and omissions excepted. DEC-15

GENESIS OFFICE SUPPLY SDN BHD

T: 07 3559169 M: 016 7233169 E: tonemaxs@hotmail.com



A cut above the rest

ClassicCut CL120

Office Guillotine

Simple, light-weight desktop guillotine for home office, small-office and educational users.

Features & Benefits

- Trim length: 460mm (A3)
- Trim capacity: 10 sheets 80g
- Self-sharpening stainless steel blade
- Acrylic safety guard
- High quality ABS Plastic base
- Metric/inch paper guide for repeat cuts and precise positioning
- Blade lock



Technical Specifications

Trim length (mm)	460	Back stop	n/a
Paper size	A3	Paper clamp	n/a
Trim capacity Straight cut 80g:	10	Blade lock	Yes
Paper guides	Yes	Safety guard	Yes
Ruler in cm & inches	Yes	Product code	2101971



ACCO BRANDS – THE INDUSTRY LEADER

© ACCO BRANDS All Rights Reserved. Images are for illustrative purposes only. Errors and omissions excepted. DEC-15

EC-12 Electronic Check Writer

**2 YEARS
WARRANTY**

Check Writer can write the amount of money on checks and other bills, widely used in banks, financial system, companies and department stores. Main characters of the product are clean write of written number on the front of cheques, apparent protruding on the back of cheques, anti- counterfeit and alter proof.

- With security embossed printing to avoid fraudulence
- One step easy printing
- With Clear (c) key that can delete the whole data
- Automatic cheque locking
- 12 digits LCD display
- Ink roller replaceable
- With guide bar



Special Features



Automatically adds commas, currency and end mark



With security embossed printing to avoid fraudulence



Automatic cheque locking



With guide bar

Specifications

Model NO.	EC-12
No of Digits	12
Power Supply	AC220/240V input
Power Consumption	20W
Dimensions	280x150x165mm
Weight	2.1kg
Ink Roller Model No.	EC-12 Ink Roller

Packaging	Unit Gift Box	Master Carton
Quantity	1	6
Dimensions (mm)	280x150x165	475x290x355
Weight (Kg)	2.1kg	12.6kg
Barcode	6925781452814	

Available from:

EC-12 Electronic Check Writer

**2 YEARS
WARRANTY**



12 digits LCD display



Automatically
adds
commas,
currency and
end mark



With security
embossed printing



Ink roller
replaceable



Automatic cheque
locking



With guide bar



One step easy printing

Others Feature



EC-12
Ink Roller



- ECONOMY
- SECURITY
- RELIABILITY

Portable Projector

Orchestrating a brighter world

NEC

High-performance, cost-effective projector

VE303X / VE303



VE303X

3,000 ANSI lumens

XGA

2.6 kg

VE303

3,000 ANSI lumens

SVGA

2.6 kg



HDMI
HIGH DEFINITION MULTIMEDIA INTERFACE

Being compact in size and light weight, the VE series is easily portable, according to your needs. The excellent price performance ratio makes these projectors especially suitable for classrooms and mid-sized meeting rooms.

Benefits

Great Picture Quality and Integrated Audio

Thanks to the 10,000:1 contrast and the built-in 2 W speaker.

Direct Power Off

This feature allows the projector to be turned off (even when projecting an image) by using the Main Power Switch or by disconnecting the AC power supply.

Innovative ECO Functions

Reduce power consumption while ensuring optimal image performance and lamp life that is extended to 6,000 hours.

SmartSource™ 3D Ready

The projector can support the following 3D formats.

- HDMI 3D
- 120 Hz 3D (only available if your PC can output 120 Hz)
- HQFS 3D



Free download of multi-display management software*

This software is an all-in-one remote support solution that runs from a central location and provides monitoring, asset management and control functionality for a majority of NEC display devices and Windows computers. It is ideal for multi-device installations over larger infrastructures.

*NaViSet Administrator 2



Specifications

Model	NP-VE303X	NP-VE303
Method	Reflection by single DMD chip	
Resolution ¹	1,024 × 768 (XGA)	800 × 600 (SVGA)
Lens	Manual zoom (×1.1) / Manual focus, F = 2.41 – 2.55, f = 21.8 – 24.0 mm, Throw ratio = 1.95 – 2.15	
Light source	ECO mode	160 W
(Lamp)	ECO mode off	195 W
Lamp life ²	ECO mode	6,000 H
	ECO mode off	4,500 H
Image size	30 to 300 inches	
Light output ³ ⁴	ECO mode off	3,000 ANSI lumens
	ECO mode	Approx. 85% of ECO off
Quietness (ECO / ECO mode off)	30 dB / 34 dB	
Contrast ratio (white / black) ⁴	10,000:1 with dynamic contrast on	
Maximum resolution	Up to 1080p (1,920 × 1,080)	
Synchronization	Horizontal	15 kHz to 100 kHz (RGB: 24 kHz or over)
range	Vertical	50 Hz to 120 Hz (24 Hz: Blu-ray 24P)
Vertical keystone correction	Manual: ± Max 40 degrees	
Input terminals	Computer	Mini D-sub 15 pin × 1
	Video	RCA × 1
	HDMI	HDMI × 1
	Audio	Stereo mini jack × 1
Control terminals	D-sub 9 pin × 1	
USB port	Service × 1	
Built-in speaker	2 W monaural	
Usage	Operational temperature	5°C to 40°C, up to 80% humidity (no condensation)
environment	Storage temperature	–10°C to 50°C, up to 80% humidity (no condensation)
Power requirements	100 to 240 V AC, 50 Hz / 60 Hz	
Input current	2.5 A to 1.1 A	
Power consumption	ECO mode off	237 W / 232 W
(100 to 130 V AC /	ECO mode	198 W / 192 W
200 to 240 V AC)	Standby (Normal)	0.23 W / 0.33 W
Dimensions (W × H × D)	324 × 101 × 250 mm	
	324 × 88 × 250 mm (not including protrusions)	
Weight	2.6 kg	
Accessories	Power cord, remote control, batteries, signal cable, CD-ROM (User's manual), quick guide, important information, security sticker	

¹ : Effective pixels are more than 99.99%.

² : The average time span for the brightness of the lamp to be reduced by half; does not refer to the warranty period for the lamp.

³ : This is the light output value (ANSI lumens) when [PICTURE MODE] is set to [HIGH-BRIGHT] in the menu.

If any other mode is selected as [PICTURE MODE], the light output value may drop slightly.

⁴ : Compliant with ISO21118-2012

Remote control

(included accessory)




Options

Replacement lamp

NP40LP



Throw Distance and Screen Size




(Aspect ratio 4:3)


Screen Size (W×H m)	Throw Distance (m)		Bottom Height (cm)
	Wide	Tele	
30" (0.61×0.46)	1.19	1.31	6.9
40" (0.81×0.61)	1.59	1.75	9.1
60" (1.22×0.91)	2.38	2.62	13.7
80" (1.63×1.22)	3.17	3.50	18.3
100" (2.03×1.52)	3.96	4.37	22.8
120" (2.44×1.83)	4.75	5.24	27.4
150" (3.05×2.29)	5.94	6.55	34.3
180" (3.66×2.74)	7.13	7.86	41.1
200" (4.06×3.05)	7.92	8.74	45.7
240" (4.88×3.66)	9.51	10.49	54.8
300" (6.10×4.57)	11.89	13.11	68.5

The values in the table are design values and may vary.

Terminals



Cabinet dimensions



Unit: mm



- Do not stare into the lens while in use.
- The projector can be unplugged during its cool down period after it is turned off. Parts of the projector become heated during operation. Use caution when picking up the projector immediately after it has been operating.
- Use caution when putting the projector in the soft case immediately after the projector has been operating. The projector cabinet is hot.

NaViSet is a trademark or registered trademark of NEC Display Solutions, Ltd. in Japan, the United States and other countries.

DLP and the DLP logo are registered trademarks or trademarks of Texas Instruments.

SmartSource™ 3D is a trademark of Texas Instruments.

The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

HDBaseT and the HDBaseT Alliance logo are trademarks of the HDBaseT Alliance.

Other hardware and software names are trademarks or registered trademarks of the respective manufacturers.

All rights reserved. All specifications are subject to change without notice. December 2015

NEC Display Solutions, Ltd.

<http://www.nec-display.com/ap/>

Cat. No. WDPJ-1512-0011N